

Dec.17 2024

Dear Valued Customer

Leimac Ltd.
LED Lighting Group
Sales Department
TEL : +81-77-585-6771
FAX : +81-77-585-6773

Notice of Discontinuation of LED Illumination (White)

We would like to inform you that we have decided to discontinue the production of some of our products due to the end of production of LED elements used in our products and as part of our efforts to improve the efficiency of our management resources.

Please place your orders for the affected products by the final order date.

We apologize for any inconvenience this may cause and appreciate your understanding.

-Details-

1 . End of sales date

December 26, 2025

* If stock runs out before the above date, the order will be terminated at that time.

Thank you for your understanding.

2 . List of Discontinued Products and Their Alternative products

Listed in " Attachment _1"

3 . Specification Comparison

Listed in " Attachment _2"

If you have any questions, please contact our sales representative.

【 Discontinued Models List 】 1 / 6

IDBA-LE series	
Discontinued Products	successor
DC12V specification	
IDBA-LE75■-AW	IDBA-LE75■-DW
IDBA-LE150■-AW	IDBA-LE150■-DW
IDBA-LE225■-AW	IDBA-LE225■-DW
IDBA-LE300■-AW	IDBA-LE300■-DW
IDBA-LE375■-AW	IDBA-LE375■-DW
IDBA-LE450■-AW	IDBA-LE450■-DW
DC24V specification	
IDBA-LE150■-AWHV	IDBA-LE150■-DWHV
IDBA-LE300■-AWHV	IDBA-LE300■-DWHV
IDBA-LE450■-AWHV	IDBA-LE450■-DWHV
IDBA-LE600■-AWHV	IDBA-LE600■-DWHV
IDBA-LE750■-AWHV	IDBA-LE750■-DWHV
IDBA-LE900■-AWHV	IDBA-LE900■-DWHV
IDBA-LE1050■-AWHV	IDBA-LE1050■-DWHV
IDBA-LE1200■-AWHV	IDBA-LE1200■-DWHV

* The symbols for light distribution type (wide-angle light distribution type = "S", narrow-angle light distribution type = "L") are placed in ■.

IDBA-LEH series	
Discontinued Products	successor
DC12V specification	
IDBA-LEH75■-W	IDBA-LEH75■-DW
IDBA-LEH150■-W	IDBA-LEH150■-DW
IDBA-LEH225■-W	IDBA-LEH225■-DW
IDBA-LEH300■-W	IDBA-LEH300■-DW
DC24V specification	
IDBA-LEH150■-WHV	IDBA-LEH150■-DWHV
IDBA-LEH300■-WHV	IDBA-LEH300■-DWHV
IDBA-LEH450■-WHV	IDBA-LEH450■-DWHV
IDBA-LEH600■-WHV	IDBA-LEH600■-DWHV
IDBA-LEH750■-WHV	IDBA-LEH750■-DWHV
IDBA-LEH900■-WHV	IDBA-LEH900■-DWHV
IDBA-LEH1050■-WHV	IDBA-LEH1050■-DWHV
IDBA-LEH1200■-WHV	IDBA-LEH1200■-DWHV
IDBA-LEH1350■-WHV	IDBA-LEH1350■-DWHV
IDBA-LEH1500■-WHV	IDBA-LEH1500■-DWHV
IDBA-LEH1650■-WHV	IDBA-LEH1650■-DWHV
IDBA-LEH1800■-WHV	IDBA-LEH1800■-DWHV

* The symbols for light distribution type (wide-angle light distribution type = "S", narrow-angle light distribution type = "L") are placed in ■.

*Products with custom specifications are also included.

*The data shown are for reference only and do not guarantee product capability.

【 Discontinued Models List 】 2 / 6

IDBA-LEH2 series			
Discontinued Products			successor
DC12V specification			
IDBA-LEH75■2-W			IDBA-LEH75■2-DW
IDBA-LEH150■2-W		→	IDBA-LEH150■2-DW
IDBA-LEH225■2-W			IDBA-LEH225■2-DW
DC24V specification			
IDBA-LEH150■2-WHV			IDBA-LEH150■2-DWHV
IDBA-LEH300■2-WHV			IDBA-LEH300■2-DWHV
IDBA-LEH450■2-WHV			IDBA-LEH450■2-DWHV
IDBA-LEH600■2-WHV			IDBA-LEH600■2-DWHV
IDBA-LEH750■2-WHV			IDBA-LEH750■2-DWHV
IDBA-LEH900■2-WHV			IDBA-LEH900■2-DWHV
IDBA-LEH1050■2-WHV		→	IDBA-LEH1050■2-DWHV
IDBA-LEH1200■2-WHV			IDBA-LEH1200■2-DWHV
IDBA-LEH1350■2-WHV			IDBA-LEH1350■2-DWHV
IDBA-LEH1500■2-WHV			IDBA-LEH1500■2-DWHV
IDBA-LEH1650■2-WHV			IDBA-LEH1650■2-DWHV
IDBA-LEH1800■2-WHV			IDBA-LEH1800■2-DWHV

* The symbols for light distribution type (wide-angle light distribution type = "S", narrow-angle light distribution type = "L") are placed in ■.

*Products with custom specifications are also included.

*The data shown are for reference only and do not guarantee product capability.

【 Discontinued Models List 】 3 / 6

IHRB series		Discontinued Products	successor
DC12V specification			
	IHRB-60AWS	→	IHRB-60DWS
	IHRB-80AWS		IHRB-80DWS
	IHRB-120AWS		IHRB-120DWS
	IHRB-150AWS		IHRB-150DWS
	IHRB-220AWS		IHRB-220DWS
DC24V specification			
	IHRB-60AWHVS	→	IHRB-60DWHVS
	IHRB-80AWHVS		IHRB-80DWHVS
	IHRB-120AWHVS		IHRB-120DWHVS
	IHRB-150AWHVS		IHRB-150DWHVS
	IHRB-220AWHVS		IHRB-220DWHVS

IHRA series		Discontinued Products	successor
DC24V specification			
	IHRA-270AWHVS	→	IHRA-270DWHVS
	IHRA-350AWHVS		IHRA-350DWHVS

IHRB series		Discontinued Products	successor
DC12V specification			
	IHR-LE90■-AW	→	IHR-LE90■-DW
DC24V specification			
	IHR-LE90■-AWHV	→	IHR-LE90■-DWHV

* The symbols on the ■ indicate the light distribution type (wide-angle light distribution type = "S", narrow-angle light distribution type = "L"; narrow-angle light distribution type = "L"; wide-angle light distribution type = "S"), 50mm condenser type = "C50", 100mm condenser type = "C100").

*Products with custom specifications are also included.

*The data shown are for reference only and do not guarantee product capability.

【 Discontinued Models List 】 4 / 6

IDDB-KH series		Discontinued Products	successor
DC12V specification			
		IDDB-KH60AW	IDDB-KH60DW
		IDDB-KH80AW	IDDB-KH80DW
	→	IDDB-KH120AW	IDDB-KH120DW
		IDDB-KH150AW	IDDB-KH150DW
		IDDB-KH220AW	IDDB-KH220DW
DC24V specification			
		IDDB-KH60AWHV	IDDB-KH60DWHV
		IDDB-KH80AWHV	IDDB-KH80DWHV
	→	IDDB-KH120AWHV	IDDB-KH120DWHV
		IDDB-KH150AWHV	IDDB-KH150DWHV
		IDDB-KH220AWHV	IDDB-KH220DWHV

IDDA-KH series		Discontinued Products	successor
DC24V specification			
		IDDA-KH270AWHV	IDDA-KH270DWHV
	→	IDDA-KH350AWHV	IDDA-KH350DWHV

IPQC series		Discontinued Products	successor
DC12V specification			
		IPQC-35W	IPQC-35DW
		IPQC-51W	IPQC-51DW
	→	IPQC-78W	IPQC-78DW
		IPQC-99W	IPQC-99DW
		IPQC-123W	IPQC-123DW
DC24V specification			
		IPQC-35WHV	IPQC-35DWHV
		IPQC-51WHV	IPQC-51DWHV
	→	IPQC-78WHV	IPQC-78DWHV
		IPQC-99WHV	IPQC-99DWHV
		IPQC-123WHV	IPQC-123DWHV

*Products with custom specifications are also included.

*The data shown are for reference only and do not guarantee product capability.

【 Discontinued Models List 】 5 / 6

IFPA series			
Discontinued Products			successor
IFPA-100/100AWHV			IFPA-100/100DWHV
IFPA-200/100AWHV			IFPA-200/100DWHV
IFPA-300/100AWHV			IFPA-300/100DWHV
IFPA-400/100AWHV			IFPA-400/100DWHV
IFPA-500/100AWHV			IFPA-500/100DWHV
IFPA-200/200AWHV			IFPA-200/200DWHV
IFPA-300/200AWHV			IFPA-300/200DWHV
IFPA-400/200AWHV		→	IFPA-400/200DWHV
IFPA-500/200AWHV			IFPA-500/200DWHV
IFPA-300/300AWHV			IFPA-300/300DWHV
IFPA-400/300AWHV			IFPA-400/300DWHV
IFPA-500/300AWHV			IFPA-500/300DWHV
IFPA-400/400AWHV			IFPA-400/400DWHV
IFPA-500/400AWHV			IFPA-500/400DWHV
IFPA-500/500AWHV			IFPA-500/500DWHV

IFPA-D series			
Discontinued Products			successor
IFPA-100/100AWHV-■			IFPA-100/100DWHV-■
IFPA-200/100AWHV-■			IFPA-200/100DWHV-■
IFPA-300/100AWHV-■			IFPA-300/100DWHV-■
IFPA-400/100AWHV-■			IFPA-400/100DWHV-■
IFPA-500/100AWHV-■			IFPA-500/100DWHV-■
IFPA-200/200AWHV-■			IFPA-200/200DWHV-■
IFPA-300/200AWHV-■			IFPA-300/200DWHV-■
IFPA-400/200AWHV-■		→	IFPA-400/200DWHV-■
IFPA-500/200AWHV-■			IFPA-500/200DWHV-■
IFPA-300/300AWHV-■			IFPA-300/300DWHV-■
IFPA-400/300AWHV-■			IFPA-400/300DWHV-■
IFPA-500/300AWHV-■			IFPA-500/300DWHV-■
IFPA-400/400AWHV-■			IFPA-400/400DWHV-■
IFPA-500/400AWHV-■			IFPA-500/400DWHV-■
IFPA-500/500AWHV-■			IFPA-500/500DWHV-■

* The symbols for the aperture size (aperture diameter ø35 mm = "35D", aperture diameter ø55 mm = "55D") appear in the ■.

*Products with custom specifications are also included.

*The data shown are for reference only and do not guarantee product capability.

【 Discontinued Models List 】 6 / 6

IV-14A series			
	Discontinued Products		successor
	IV-14AW	→	IV-14ADW

IV-30A series			
	Discontinued Products		successor
	IV-30AW	→	IV-30ADW

IV-30HA series			
	Discontinued Products		successor
	IV-30HAW	→	IV-30HADW

*Products with custom specifications are also included.

*The data shown are for reference only and do not guarantee product capability.

【Dimension】

No change in discontinued and successor models.

【Power consumption】

No change in discontinued and successor models.

【color temperature】



	color temperature	
	Discontinued Products	successor
	W / AW	DW
IDBA-LE series	4,900K	5,700K
IDBA-LEH series	4,900K	5,700K
IDBA-LEH2 series	4,900K	5,700K
IHRB series	4,900K	5,700K
IHRA series	4,900K	5,700K
IHR-LE series	4,900K	5,700K
IDDB-KH series	4,900K	5,700K
IDDA-KH series	4,900K	5,700K
IPQC series	4,900K	5,700K
IFPA series	4,900K	5,000K
IFPA-D series	4,900K	5,000K
IV-14A series	4,900K	5,700K
IV-30A series	4,900K	5,700K
IV-30HA series	4,900K	5,700K

【Brightness Comparison】



	Light distribution characteristics	Illumination Distribution Comparison
IDBA-LEH series	Narrow type(-L)	108% (LWD=200mm)
IDBA-LE series	Narrow type(-L)	113% (LWD=200mm)
	Wide type(-S)	89% (LWD=50mm)
IHRB series		112% (LWD=100mm)
IHR-LE series	Narrow type(-L)	107% (LWD=200mm)
	Wide type(-S)	103% (LWD=50mm)
IDDB-KH series		102% (LWD=50mm)
IPQC series		105% (LWD=50mm)
IFPA series		111%
IV-30A series		108% (LWD=50mm)
IV-30HA series		103% (LWD=50mm)

*The data shown are for reference only and do not guarantee product capability.



**【Optical properties】
IDBA-LEH series (-L)**




IDBA-LE series (-L)




IDBA-LE series (-S)




IHRB series



IHR-LE series (-L)




IHR-LE series (-S)




*The data shown are for reference only and do not guarantee product capability.


IDDB-KH series




IPQCseries



IV-30Aseries



IV-30HAseries



*The data shown are for reference only and do not guarantee product capability.